Nuclear Engineering and Design 119 (1990) 491–493
North-Holland

AUTHOR INDEX TO VOLUME 119

Aaltonen, P., see Hakala 119 (1990) 389

Bethmont, M., Rousselier, G., Kussmaul, K., Sauter, A. and Jovanovic, A., The method for "local approach of fracture" and its application to a thermal shock experiment 119 (1990) 249
Bhandari, S., Nesa, D., Faidy, C. and Grüter, L., Initiation and instability behaviour of cracked LMFBR piping: Comparison of different theoretical approaches and experiments 119 (1990) 337
Blind, D., Obst, V., Maile, K., Kessler, K.J. and Vazoukis, G., Evaluation of design values for strain limitation on the basis of cyclic fatigue date 119 (1990) 187
Blume-Firla, I., see Diehl 119 (1990) 207
Bodmann, E., see Diehl 119 (1990) 195
Boyack, B.E., I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, G.E. Wilson, W. Wulff and N. Zuber, An overview of the code scaling, applicability, and uncertainty evaluation methodology 119 (1990) 1
Boyack, B.E., see Catton 119 (1990) 109
Boyack, B.E., see Lellouche 119 (1990) 67
Boyack, B.E., see Wulff 119 (1990) 33
Boyack, B.E., see Zuber 119 (1990) 97
Boyack, G.E., see Wilson 119 (1990) 17
Brocks, W. and Künecke, G., Elastic-plastic fracture mechanics analysis of a pressure vessel with an axial outer surface flaw 119 (1990) 307
Brosi, S., see Uhlmann 119 (1990) 347

Catton, I., Duffey, R.B., Shaw, R.A., Boyack, B.E., Griffith, P., Katsma, K.R., Lellouche, G.S., Levy, S., Rohatgi, U.S., Wilson, G.E., Wulff, W. and Zuber, N., A physically based method of estimating PWR large break loss of coolant accident PCT 119 (1990) 109
Catton, I., see Boyack 119 (1990) 1
Catton, I., see Lellouche 119 (1990) 67
Catton, I., see Wilson 119 (1990) 17
Catton, I., see Wulff 119 (1990) 33
Catton, I., see Zuber 119 (1990) 97
Crutzen, S., Herkenrath, H., Kussmaul, K. and Mletzko, U., PISC full scale reactor pressure vessel validation of nondestructive examination 119 (1990) 475

Darlaston, B.J. and Gardner, W.E., A review of the UK PWR structural integrity and materials programme 119 (1990) 121
Demus, H., see Theymann 119 (1990) 447
Diehl, H. and Bodmann, E., Alloy 800: New stress rupture and creep data for pressurized components in high temperature reactors 119 (1990) 195
Diehl, H., Blume-Firla, I. and Mergler, W., Alloy 800: Low cycle fatigue curves as the basis for design against fatigue failure of HTR components 119 (1990) 207
Diem, H., see Katzenmeier 119 (1990) 317
Diem, H., see Uhlmann 119 (1990) 347
Duffey, R.B., see Boyack 119 (1990) 1
Duffey, R.B., see Catton 119 (1990) 109
Duffey, R.B., see Lellouche 119 (1990) 67
Duffey, R.B., see Wilson 119 (1990) 17
Duffey, R.G., see Wulff 119 (1990) 33
Duffey, R.B., see Zuber 119 (1990) 97

Emanuelson, R.H., see Van der Sluys 119 (1990) 379
Engel, R., see Theymann 119 (1990) 447
Erve, M., see Kastner 119 (1990) 431
Erve, M., see Tenckhoff 119 (1990) 371

Faidy, C., see Bhandari 119 (1990) 337
Fukaya, K., see Oku 119 (1990) 177

Gardner, W.E., see Darlason 119 (1990) 121
Gnirss, G., Hartnagel, W. and Trück, B., Influence of damage mechanisms on the creep crack growth behaviour of X 20 CrMoV 12 1 at 550 119 (1990) 223
Gnirss, G., see Schneider 119 (1990) 231
Griffith, P., see Boyack 119 (1990) 1
Griffith, P., see Catton 119 (1990) 109
Griffith, P., see Lellouche 119 (1990) 67
Griffith, P., see Wilson 119 (1990) 17
Griffith, P., see Wulff 119 (1990) 33
Griffith, P., see Zuber 119 (1990) 97
Grüter, L., see Bhandari 119 (1990) 337

Hajduk, M. and Mewes, D., The measurement of transient deformation by double

pulsed interferometry, a method for non-destructive testing 119 (1990) 467
Hakala, J., Hänninen, H. and Aaltonen, P., Stress corrosion and thermal fatigue - Experiences and countermeasures in austenitic SS pipings of Finnish BWR plants 119 (1990) 389
Hänninen, H., see Hakala 119 (1990) 389
Hartnagel, W., see Gnirss 119 (1990) 223
Henzel, N., see Kastner 119 (1990) 431
Herkenrath, H., see Crutzen 119 (1990) 475
Hidaka, T., see Ishino 119 (1990) 139
Höfler, A., see Stegmeyer 119 (1990) 281
Hofmann, P.J., Schettler, T., Wieling, N. and Steininger, D.A., Influence of contact conditions on vibration induced wear of metals 119 (1990) 439
Hosemann, B., see Vinzens 119 (1990) 329
Huber, H., see Sauter 119 (1990) 287
Hübschen, G., Löhr, E. and Walleser, A., Monitoring the filling level of the RPV using stationary EMUS-probes 119 (1990) 459

Ikslush, B., see Kussmaul 119 (1990) 415
Ishino, S., Kawakami, T., Hidaka, T. and Satoh, M., The effect of chemical composition on irradiation embrittlement 119 (1990) 139
Iwadate, T., see Oku 119 (1990) 177

Jovanovic, A. and Lucia, A.G., Analysis of crack behaviour in the JRC Ispra pressurized thermal shock experiment 119 (1990) 263
Jovanovic, A., see Bethmont 119 (1990) 249

Kastl, H. and Naraghi, M., Material laws for inelastic analyses on elbows of 12% or 0.5 Cr-steel up to creep rupture for 30000 h creep tests at 550 119 (1990) 149
Kastner, W., Erve, M., Henzel, N. and Stellwag, B., Calculation code for erosion corrosion induced wall thinning in piping systems 119 (1990) 431
Katsma, K.R., see Boyack 119 (1990) 1
Katsma, K.R., see Catton 119 (1990) 109
Katsma, K.R., see Lellouche 119 (1990) 67
Katsma, K.R., see Wilson 119 (1990) 17
Katsma, K.R., see Wulff 119 (1990) 33
Katsma, K.R., see Zuber 119 (1990) 97
Katzenmeier, G., Kussmaul, K., Roos, E. and Diem, H., Component testing at the HDR-facility for validating the calculation procedures and the transferability of test results from specimen to component 119 (1990) 317
Kawakami, T., see Ishino 119 (1990) 139
Kerkhof, K., Stoppler, W., Sturm, D. and Zirn, R., Resonant excitation of a pipe section 119 (1990) 361
Kessler, K.J., see Blind 119 (1990) 187
Klenk, A., see Maile 119 (1990) 131
Kodaira, T., see Oku 119 (1990) 177
Kordisch, H., see Stegmeyer 119 (1990) 281
Kullik, M. and Maile, K., Estimation of crack growth in the creep range during plastic cyclic loading 119 (1990) 215
Künecke, G., see Brocks 119 (1990) 307
Kussmaul, K. and Iskluth, B., Environmentally assisted crack growth in a low alloy boiler steel in high temperature water containing oxygen 119 (1990) 415
Kussmaul, K., see Bethmont 119 (1990) 249
Kussmaul, K., see Crutzen 119 (1990) 475
Kussmaul, K., see Katzenmeier 119 (1990) 317

Laue, H., see Vinzens 119 (1990) 329
Lellouche, G.S., Levy, S., Boyack, B.E., Catton, I., Duffey, R.B., Griffith, P., Katsma, K.R., May, R., Rohatgi, U.S., Wilson, G., Wulff, W. and Zuber, N., Uncertainty evaluation of LBLOCA analysis based on TRAC-PF1/MOD 1 119 (1990) 67
Lellouche, G.S., see Boyack 119 (1990) 1
Lellouche, G.S., see Catton 119 (1990) 109
Lellouche, G.S., see Wilson 119 (1990) 17
Lellouche, G.S., see Wulff 119 (1990) 33
Lellouche, G.S., see Zuber 119 (1990) 97
Lenz, E., see Tenckhoff 119 (1990) 371
Levy, S., see Boyack 119 (1990) 1
Levy, S., see Catton 119 (1990) 109
Levy, S., see Lellouche 119 (1990) 67
Levy, S., see Wilson 119 (1990) 17
Levy, S., see Wulff 119 (1990) 33
Levy, S., see Zuber 119 (1990) 97
Löhr, E., see Hübschen 119 (1990) 459
Lucia, A.C., see Jovanovic 119 (1990) 263

Maile, K., Klenk, A., Obst, V. and Sturm, D., Load carrying behaviour of the primary system of PWRs for loads beyond the design limits 119 (1990) 131
Maile, K., see Blind 119 (1990) 187
Maile, K., see Kullik 119 (1990) 215
May, R., see Lellouche 119 (1990) 67
Mergler, W., see Diehl 119 (1990) 207
Mewes, D., see Hajduk 119 (1990) 467
Miksch, M. and Schücktanz, G., Evaluation of fatigue of reactor components by on-line monitoring of transients 119 (1990) 239
Mletzko, U., see Crutzen 119 (1990) 475

Naraghi, M., see Kastl 119 (1990) 149
Nesa, D., see Bhandari 119 (1990) 337
Nguyen-Huy, T., see Sauter 119 (1990) 287

Obst, V., see Blind 119 (1990) 187
Obst, V., see Maile 119 (1990) 131

Oku, T., Kodaira, T., Fukaya, K., Suzuki, M., Tanaka, Y., Iwadate, T., Suzuki, K. and Sato, I., Study on 2 1/4 Cr-Mo steel for high temperature gas-cooled reactor material characterization of forged low Si 2 1/4 Cr-1 Mo steel 119 (1990) 177

Rohatgi, U.S., see Boyak 119 (1990) 1
Rohatgi, U.S., see Catton 119 (1990) 109
Rohatgi, U.S., see Lellouche 119 (1990) 67
Rohatgi, U.S., see Wilson 119 (1990) 17
Rohatgi, U.S., see Wulff 119 (1990) 33
Rohatgi, U.S., see Zuber 119 (1990) 97
Roos, E., see Katzenmeier 119 (1990) 317
Rousselier, G., see Bethmont 119 (1990) 249

Sato, I., see Oku 119 (1990) 177
Satoh, M., see Ishino 119 (1990) 139
Sauter, A., Nguyen-Huy, T., Weber, U. and Huber, H., Behaviour of surface flaws under thermal-mechanical loading 119 (1990) 287
Sauter, A., see Bethmont 119 (1990) 249
Sauter, A., see Stegmeyer 119 (1990) 281
Schettler, T., see Hofmann 119 (1990) 439
Schneider, K., Tolksdorff, E. and Gnirss, G., Analysis of the deformation and damage development of a dissimilar weld operating in the creep regime 119 (1990) 231
Schücktanz, G., see Miksch 119 (1990) 239
Scott, P.M. and Tice, D.R., Stress corrosion in low alloy steels 119 (1990) 399
Shaw, R.A., see Catton 119 (1990) 109
Sievers, J., see Stegmeyer 119 (1990) 281
Stegmeyer, R., Sauter, A., Höfler, A., Sievers, J. and Kordisch, H., 3D-FE-calculations of a pressure vessel under thermal shock loading 119 (1990) 281
Steininger, D.A., see Hofmann 119 (1990) 439
Stellwag, B., see Kastner 119 (1990) 431
Stoppler, W., see Kerkhof 119 (1990) 361
Sturm, D., see Kerkhof 119 (1990) 361
Sturm, D., see Maile 119 (1990) 131
Suzuki, K., see Oku 119 (1990) 177
Suzuki, M., see Oku 119 (1990) 177

Tanaka, Y., see Oku 119 (1990) 177
Tenckhoff, E., Erve, M., Lenz, E. and Vazoukis, G., Environmentally assisted crack growth in low alloy steels - Results and their relevance to LWR components 119 (1990) 371
Theymann, W., Engel, R. and Demus, H., Ceramic coatings for protection against frictional wear and diffusion welding in HTR helium 119 (1990) 447
Tice, D.R., see Scott 119 (1990) 399
Tolksdorff, E., see Schneider 119 (1990) 231
Trück, B., see Gnirss 119 (1990) 223

Uhlmann, D., Diem, H. and Brosi, S., Fracture mechanics study of an elbow pipe with a longitudinal crack under static loading 119 (1990) 347

Van der Sluys, W.A. and Emanuelson, R.H., Fatigue crack growth in reactor pressure vessel materials and light water reactor environment 119 (1990) 379
Vazoukis, E., see Tenckhoff 119 (1990) 371
Vazoukis, G., see Blind 119 (1990) 187
Vinzens, K., Laue, H. and Hosemann, B., Structural integrity of LMFBRs including leak before break 119 (1990) 329

Walleser, A., see Hübschen 119 (1990) 459
Weber, U., see Sauter 119 (1990) 287
Wieling, N., see Hofmann 119 (1990) 439
Wilson, G., see Lellouche 119 (1990) 67
Wilson, G.E., Boyack, B.E., Catton, I., Duffey, R.B., Griffith, P., Katsma, K.R., Lellouche, G.S., Levy, S., Rohatgi, U.S., Wulff, W. and Zuber, N., Characterization of important contributors to uncertainty 119 (1990) 17
Wilson, G.E., see Boyack 119 (1990) 1
Wilson, G.E., see Catton 119 (1990) 109
Wilson, G.E., see Wulff 119 (1990) 33
Wilson, G.E., see Zuber 119 (1990) 97
Wulff, W., Boyack, B.E., Catton, I., Duffey, R.B., Griffith, P., Katsma, K.R., Lellouche, G.S., Levy, S., Rohatgi, U.S., Wilson, G.E. and Zuber, N., Assessment and ranging of parameters 119 (1990) 33
Wulff, W., see Boyack 119 (1990) 1
Wulff, W., see Catton 119 (1990) 109
Wulff, W., see Lellouche 119 (1990) 67
Wulff, W., see Wilson 119 (1990) 17
Wulff, W., see Zuber 119 (1990) 97

Zirn, R., see Kerkhof 119 (1990) 361
Zuber, N., see Boyack 119 (1990) 1
Zuber, N., see Catton 119 (1990) 109
Zuber, N., see Lellouche 119 (1990) 67
Zuber, N., see Wilson 119 (1990) 17
Zuber, N., see Wulff 119 (1990) 33
Zuber, N., Wilson, G.E., Boyack, B.E., Catton, I., Duffey, R.B., Griffith, P., Katsma, K.R., Lellouche, G.S., Levy, S., Rohatgi, U.S. and Wulff, W., Evaluation of scale-up capabilities of best estimate codes 119 (1990) 97

Nuclear Engineering and Design 119 (1990) 495–497
North-Holland

SUBJECT INDEX TO VOLUME 119

Thermal and fluid design

An overview of the code scaling, applicability, and uncertainty evaluation methodology, B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, G.E. Wilson, W. Wulff and N. Zuber 119 (1990) 1

Characterization of important contributors to uncertainty, G.E. Wilson, B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, W. Wulff and N. Zuber 119 (1990) 17

Assessment and ranging of parameters, W. Wulff, B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, G.E. Wilson and N. Zuber 119 (1990) 33

Uncertainty evaluation of LBLOCA analysis based on TRAC-pF1/MOD 1, G.S. Lellouche, S. Levy, B.E. Boyack, I. Catton, R.G. Duffy, P. Griffith, K.R. Katsma, R. May, U.S. Rohatgi, G. Wilson, W. Wulff and N. Zuber 119 (1990) 67

Evaluation of scale-up capabilities of best estimate codes, N. Zuber, G.E. Wilson, B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi and W. Wulff 119 (1990) 97

A physically based method of estimating PWR large break loss of coolant accident PCT, I. Catton, R.B. Duffey, R.A. Shaw, B.E. Boyack, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, G.E. Wilson, W. Wulff and N. Zuber 119 (1990) 109

Materials properties

A review of the UK PWR structural integrity and materials programme, B.J. Darlaston and W.E. Gardner 119 (1990) 121

Load carrying behaviour of the primary system of PWRs for loads beyond the design limits, K. Maile, A. Klenk, V. Obst and D. Sturm 119 (1990) 131

The effect of chemical composition on irradiation embrittlement, S. Ishino, T. Kawakami, T. Hidaka and M. Satoh 119 (1990) 139

Material laws for inelastic analyses on elbows of 12% or 0.5% Cr-steel up to creep rupture for 30000 h creep, H. Kastl and M. Naraghi 119 (1990) 149

Study on $2\frac{1}{4}$ Cr–1 Mo steel for high temperature gas-cooled reactor material characterization of forged low Si $2\frac{1}{4}$ Cr–1 Mo steel, T. Oku, T. Kodaira, K. Fukaya, M. Suzuki, Y. Tanaka, T. Iwadate, K. Suzuki and I. Sato 119 (1990) 177

Alloy 800: new stress rupture and creep data for pressurized components in high temperature reactors, H. Diehl and E. Bodmann 119 (1990) 195

Alloy 800: low cycle fatique curves as the basis for design against fatigue failure of HTR components, H. Diehl, I. Blume-Firla and W. Mergler 119 (1990) 207

The method of "local approach of fracture" and its application to a thermal shock experiment, M. Bethmont, G. Rousselier, K. Kussmaul, A. Sauter and A. Jovanovic 119 (1990) 249

Environmentally assisted crack growth in low alloy steels – Results and their relevance to LWR components, E. Tenckhoff, M. Erve, E. Lenz and G. Vazoukis 119 (1990) 371

Fatigue crack growth in reactor pressure vessel materials and light water reactor environments, W.A. Van Der Sluys and R.H. Emanuelson 119 (1990) 379

Stress corrosion and thermal fatigue – Experiences and countermeasures in austenitic SS pipings of Finnish BWR plants, J. Hakala, H. Hänninen and P. Aaltonen 119 (1990) 389

Stress corrosion in low alloy steels, P.M. Scott and D.R. Tice 119 (1990) 399

Environmentally assisted crack growth in a low alloy boiler steel in high temperature water containing oxygen, K. Kussmaul and B. Iskluth 119 (1990) 415

Influence of contact conditions on vibration induced wear of metals, P.J. Hofmann, T. Schettler, N. Wieling and D.A. Steininger 119 (1990) 439

Ceramic coatings for protection against frictional wear and diffusion welding in HTR helium, W. Theymann, R. Engel and H. Demus 119 (1990) 447

Mechanical design, component fabrication and testing

A review of the UK PWR structural integrity and materials programme, B.J. Darlaston and W.E. Gardner 119 (1990) 121
Load carrying behaviour of the primary system of PWRs for loads beyond the design limits, K. Maile, A. Klenk, V. Obst and D. Sturm 119 (1990) 131
Material laws for inelastic analyses on elbows of 12% or 0.5% Cr-steel up to creep rupture for 30000 h creep tests at 550 °C, H. Kastl and M. Naraghi 119 (1990) 149
Evaluation of design values for strain limitation on the basis of cyclic fatigue date, D. Blind, V. Obst, K. Maile, K.J. Kessler and G. Vazoukis 119 (1990) 187
Alloy 800: low cycle fatigue curves as the basis for design against fatigue failure of HTR components, H. Diehl, I. Blume-Firla and W. Mergler 119 (1990) 207
Estimation of crack growth in the creep range during plastic cyclic loading, M. Kullik and K. Maile 119 (1990) 215
Influence of damage mechanisms on the creep crack growth behaviour of X 20CrmoV12 1 at 550 °C, G. Gnirß, W. Hartnagel and B. Trück 119 (1990) 223
Analysis of the deformation and damage development of a dissimilar weld operating in the creep regime, K. Schneider, E. Tolksdorf and G. Gnirß 119 (1990) 231
Evaluation of fatigue of reactor components by on-line monitoring of transients, M. Miksch and G. Schücktanz 119 (1990) 239
The method of "local approach of fracture" and its application to a thermal shock experiment, M. Bethmont, G. Rousselier, K. Kussmaul, A. Sauter and A. Jovanovic 119 (1990) 249
Analysis of crack behaviour in the JRC Ispra Pressurized Thermal Shock Experiment, A. Jovanovic and A.C. Lucia 119 (1990) 263
3D-Fe-calculations of a pressure vessel under thermal shock loading, R. Stegmeyer, A. Sauter, A. Höfler, J. Sievers and H. Kordisch 119 (1990) 281
Behaviour of surface flaws under thermal-mechanical loading, A. Sauter, T. Nguyen-Huy, U. Weber and H. Huber 119 (1990) 287
Elastic-plastic fracture mechanics analysis of a pressure vessel with an axial outer surface flaw, W. Brocks and G. Künecke 119 (1990) 307
Component testing at the HDR-facility for validating the calculation procedures and the transferability of test results from specimen to component, G. Katzenmeier, K. Kussmaul, E. Roos and H. Diem 119 (1990) 317
Structural integrity of LMFBRs including leak before break, K. Vinzens, H. Laue and B. Hosemann 119 (1990) 329
Initiation and instability behaviour of cracked LMFBR piping: comparison of different theoretical approaches and experiments, S. Bhandari, D. Nesa, C. Faidy and L. Grüter 119 (1990) 337
Fracture mechanics study of an elbow pipe with a longitudinal crack under static loading, D. Uhlmann, H. Diem and S. Brosi 119 (1990) 347
Resonant excitation of a pipe section, K. Kerkhof, W. Stoppler, D. Sturm and R. Zirn 119 (1990) 361
Stress corrosion and thermal fatigue – experiences and countermeasures in austenitic SS pipings of Finnish BWR plants, J. Hakala, H. Hänninen and P. Aaltonen 119 (1990) 389
Stress corrosion in low alloy steels, P.M. Scott and D.R. Tice 119 (1990) 399
Calculation code for erosion corrosion induced wall thinning in piping systems, W. Kastner, M. Erve, N. Henzel and B. Stellwag 119 (1990) 431
Influence of contact conditions on vibration induced wear of metals, P.J. Hofmann, T. Schettler, N. Wieling and D.A. Steininger 119 (1990) 439
Ceramic coatings for protection against frictional wear and diffusion welding in HTR helium, W. Theymann, R. Engel and H. Demus 119 (1990) 447
The measurement of transient deformation by double pulsed interferometry, a method for nondestructive testing, M. Hajduk and D. Mewes 119 (1990) 467
PISC full scale reactor pressure vessel validation of nondestructive examination, S. Crutzen, H. Herkenrath, K. Kussmaul and U. Mletzko 119 (1990) 475

System control and controls

Monitoring the filling level of the RPV using stationary EMUS-probes, G. Hübschen, E. Löhr and A. Walleser 119 (1990) 459

Nuclear Safety

An overview of the code scaling, applicability, and uncertainty evaluation methodology, B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, G.E. Wilson, W. Wulff and N. Zuber 119 (1990) 1
Characterization of important contributors to uncertainty, G.E. Wilson, B.E. Boyack, I.

Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, W. Wulff and N. Zuber 119 (1990) 17

Assessment and ranging of parameters, W. Wulff, B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, G.E. Wilson and N. Zuber 119 (1990) 33

Uncertainty evaluation of LBLOCA analysis based on TRAC-PF1/MOD 1,G.S. Lellouche, S. Levy, B.E. Boyack, I. Catton, R.B. Duffy, P. Griffith, K.R. Katsma, R. May, U.S. Rohatgi, G. Wilson, W. Wulff and N. Zuber 119 (1990) 67

Evaluation of scale-up capabilities of best estimate codes, N. Zuber, G.E. Wilson, B.E. Boyack, I. Catton, R.B. Duffey, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi and W. Wulff 119 (1990) 97

A physically based method of estimating PWR large break loss of coolant accident PCT, I. Catton, R.B. Duffey, R.A. Shaw, B.E. Boyack, P. Griffith, K.R. Katsma, G.S. Lellouche, S. Levy, U.S. Rohatgi, G.E. Wilson, W. Wulff and N. Zuber 119 (1990) 109